


A103P3YZQ Product Details

 [Live Product Chat](#)



Toggle Switches

[Not EU RoHS or ELV Compliant](#) ([Find RoHS Compliant Alternates](#))

Product Highlights:

- A Series
- Single Pole - Double Throw Configuration (Pole-Throw)
- Current Rating = 5 Amps.
- Mount Style = Panel
- Termination Type = Vertical, Wire Lugs

[View all Features](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

A103P3YZQ

(6-1437554-3)

TE Internal Number: 6-1437554-3



Superseded

[Search for Replacement Parts](#)

- [Add to My Part List](#)
 [Request Sample](#)
 [Find Similar Products](#)
 [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- [ALCOSWITCH PRODUCTS](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Additional Product Images:

- [Dimensional Drawing](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Configuration (Pole-Throw) = Single Pole - Double Throw
- Termination Type = Vertical, Wire Lugs

Electrical Characteristics:

- Current Rating (Amps.) = 5

Termination Related Features:

- Seal Type = Terminal Seal (epoxy)

Body Related Features:

- Series = A
- Mount Style = Panel
- Flammability Rating = UL 94V-0
- UL Rating = Contact Only

Contact Related Features:

- Contact Plating = Silver

Housing Related Features:

- Toggle Actuation = Vertical
- Toggle Style = Flat
- Toggle Length (mm [in]) = 11.43 [0.450]
- Process Sealed = No
- Bushing Style = Threaded
- Bushing Type = 1/4-40

Configuration Related Features:

- [Operating Function](#) = On Off On

Industry Standards:

- [RoHS/ELV Compliance](#) = Not ELV/RoHS compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C

Other:

- Brand = Alcoswitch