


HT34-486

NEMA 34 High Torque Step Motor

1pc. - 351.00
50pc. - 263.25



Product Features

- 2-phase hybrid step motor
- High torque design
- Standard NEMA 34 dimensions
- Series or parallel wiring



Description

Product Description:







The HT34-486 two-phase stepper motor is suitable for a wide range of motion control applications. Terminated with 8 motor leads, the motor can be connected in a few different ways, including bipolar series and bipolar parallel.

Specifications

Part Number:	HT34-486
Frame Size:	NEMA 34
Motor Type:	High torque
Part Number w/Double Shaft:	HT34-486D
Part Number w/Encoder:	HT34-486D-YAA
Motor Length:	4.63 inches
Number of Lead Wires:	8
Lead Wire Configuration:	flying leads, no connector
Lead Wire/Cable Length:	18 inches inches
Lead Wire Gauge:	22 AWG
Unipolar Holding Torque:	785 oz-in
Bipolar Holding Torque:	1110 oz-in
Step Angle:	1.8 deg
Bipolar Series Current:	4.03 A/phase
Bipolar Series Resistance:	1.04 Ohms/phase
Bipolar Series Inductance:	10.8 mH/phase
Bipolar Parallel Current:	8.06 A/phase
Bipolar Parallel Resistance:	0.26 Ohms/phase
Bipolar Parallel Inductance:	2.7 mH/phase
Unipolar Current:	5.70 A/phase
Unipolar Resistance:	0.52 Ohms/phase
Unipolar Inductance:	2.7 mH/phase
Rotor Inertia:	4.53E-02 oz-in-sec ²
Integral Gearhead:	No
Weight:	7.7 lbs
Storage Temperature:	-40 to 70 °C

Operating Temperature:	-20 to 50 °C
Insulation Class:	Class B (130 °C)
Maximum Radial Load:	42 lbs
Maximum Thrust Load:	33 (2.2 w/ encoder) lbs
Shaft Run Out:	0.002 inch T.I.R. max
Radial Play:	0.001 inch max w/ 1.1 lb load
End Play:	0.003 inch max w/ 2.2 lb load
Perpendicularity:	0.003 inches
Concentricity:	0.003 inches

Downloads

Family Datasheet:	 StepMotorWiring-8-lead-striped-ground.pdf
Datasheet:	http://s3.amazonaws.com/applied-motion-pdf/HT34-486.pdf
2D Drawing:	 HT34-486_RevE.pdf  HT34-486D-YAA_RevB.pdf
3D Drawing:	 34HT117D.igs  HT34-486D_117mm_YAA_Enc.igs
Speed-Torque Curves:	 ST_speed-torque.pdf  STR_speed-torque.pdf

Pricing

	HT34-486 Part No. w/ Single Shaft	HT34-486D Part No. w/ Double Shaft	HT34-486D-YAA Part No. w/ Encoder
1pc.	\$351.00	\$351.00	\$477.00
25pc.	\$301.86	\$301.86	\$410.22
50pc.	\$263.25	\$263.25	\$357.75
100pc.	Request a Quote for 100+ piece pricing.		